

Audit

User Guide

Version R95

English

Copyright Agreement

The purchase and use of all Software and Services is subject to the Agreement as defined in Kaseya's "Click-Accept" EULATOS as updated from time to time by Kaseya at

http://www.kaseya.com/legal.aspx. If Customer does not agree with the Agreement, please do not install, use or purchase any Software and Services from Kaseya as continued use of the Software or Services indicates Customer's acceptance of the Agreement."

Contents

Contents

| Audit Overview | I |
|------------------------|------|
| Asset | ii |
| View Assets | |
| vPro tab | v |
| Manage Credentials | v |
| Credential Log | vii |
| Collect Data | vii |
| Run Audit | vii |
| View Group Data | ix |
| Audit Summary | ix |
| Configure Column Sets | x |
| View Individual Data | xi |
| Machine Summary | xi |
| Software tab | xii |
| Hardware tab | xiv |
| Agent tab | xv |
| Patch Status tab | xvi |
| Remote Control tab | xvi |
| Documents tab | xvi |
| Users tab | xvii |
| System Information | xvii |
| Installed Applications | xx |
| Add/Remove | xx |
| Software Licenses | xxi |
| Documents | xxi |
| Index | 23 |

Audit Overview

Audit

Agents can be scheduled to automatically audit the hardware and software configurations of their managed machines on a recurring basis. Agents report the information back to the Kaseya Server so you can access it using the VSA even when managed machines are powered down. Audits enable you to examine configurations before they develop into serious problems. The system maintains three types of audits for each machine ID:

- Baseline audit The configuration of the system in its original state. Typically a baseline audit is performed when a system is first set up.
- Latest audit The configuration of the system as of the last audit. Once per week is recommended.
- System Info All DMI / SMBIOS data of the system as of the last system info audit. This data seldom changes and typically only needs to be run once.

The VSA detects changes in a machines's configuration by comparing the latest audit to the baseline audit. The latest audit record is stored for as many days as you specify.

Most of the agent and managed machine data displayed by function pages and Info Center > Reporting > Reports are based on the latest audit. The Machine Changes report compares a machine ID's latest audit to a baseline audit. Two alert types specifically address changes between a baseline audit and the latest audit: Application Changes and Hardware Changes. Collected audit information includes:

- All hardware, including CPUs, RAM, PCI cards, and disk drives.
- All installed software, including licenses, version numbers, full path, and description.
- System Information from DMI and SMBIOS including PC make, model, serial number, mother board type, and over 40 other pieces of information describing the PC and its configuration.
- OS info with version number and service pack build.
- Current network settings including local IP address, gateway IP address, DNS, WINS, DHCP, and MAC address.

| Functions | Description |
|----------------------------------|---|
| View Assets (page ii) | Provides a consolidated view of all "assets" managed by the VSA. |
| Manage Credentials (page v) | Specifies credentials by organization and machine group. |
| Credential Log (page vii) | Provides an audit log of the VSA users who create, modify and delete credentials. |
| Run Audit (page vii) | Schedules latest, system, and baseline audits of machine IDs. |
| Audit Summary (page ix) | Displays data returned by audits of machines |
| Configure Column Sets (page x) | Configures columns sets for the Audit Summary page. |
| Machine Summary (page xi) | Displays detailed information about a single managed machine. |
| System Information (page xvii) | Shows DMI / SMBIOS data collected. |
| Installed Applications (page xx) | Shows a list of executable (.exe) files on selected managed machines. |
| Add/Remove (page xx) | Shows the Add or Remove Programs list from a managed machine. |

ii Contents

| 1 0 | Shows a list of vendor license codes found on selected managed machines. |
|----------------------|--|
| Documents (page xxi) | Stores files associated with a machine ID. |

Asset

View Assets

Audit > Asset > View Assets

The Audit > View Assets page is populated by **Discovery** scans of networks and domains. The **View Assets** (http://help.kaseya.com/webhelp/EN/VSA/9050000/index.asp#10649.htm) page provides a consolidated view of all "assets" managed by the VSA. Types of assets include:

- Agent managed machines and mobile devices Computers and mobile devices that have an agent installed on them are always considered managed assets and display on this page for as long as the agent is installed on them.
- Devices promoted to an asset When an agent cannot be installed on a discovered device, the device can still be "promoted" to a managed asset and display on this page. For example, a router or printer may still require monitoring, even if an agent cannot be installed on the machine. There are many different types of non-agent device types that can be managed by the VSA: routers, switchers, printers, firewalls, etc. The Make Asset button on the Discovery > Discovered Devices page enables you to "promote" a device to an asset. When you do the device begins displaying on this page. You can "demote" a asset using the Demote Asset to Device on this page. When you do, the asset is removed from this page.

All managed assets are assigned a machine group and organization. **Scoping rules** (http://help.kaseya.com/webhelp/EN/VSA/9050000/index.asp#4578.htm) and **view filtering** (http://help.kaseya.com/webhelp/EN/VSA/9050000/index.asp#214.htm) features within the VSA depend on this assignment.

- Multiple credentials can be defined for each asset. For agent assets, one of the credentials can be designated an agent credential and optionally used by Policy Management as an agent credential.
- Service Desk tickets can be optionally associated with assets listed on this page.

Actions

- View Displays a popup window of information collected about a selected device. Different views, based on the type of probe used to collect the information, can be selected using the Probe Type drop-down list:
 - Machine Audit The audit performed on a machine installed with an agent.
 - Merge View Merges all methods of data collection into one consolidated view. The default view.
- Demote Asset to Device Removes a selected device as an managed asset. Computers and mobile
 devices that have agents installed on them cannot be demoted.
- Change Group Changes the organization and machine group assigned to an asset.
- Refresh Refreshes the page.

Table Columns

Check-in status

These icons indicate the agent check-in status of each managed machine. Hovering the cursor over a check-in icon displays the agent Quick View window.

- Agent is currently offline
- User Logged In and Agent is Active
- User Logged In and Agent is Inactive
- User Not Logged In and Agent is online
- User Not Logged In and Agent is Idle
- The agent has been suspended
- Agent has never checked in
 - Asset Name The name of the asset. Typically this is the device name combined with VSA machine group and organization assigned to the asset.
 - Device Type The type of device: computers, mobile devices, routers, switchers, printers, firewalls, etc
 - Computer Agent (No) or (Yes) icons display whether the asset is a computer and has an agent installed on it.
 - Mobile Agent (No) or (Yes) icons display the asset is a mobile device and has an agent
 installed on it.
 - Probes Click this link to display the list of methods used to probe this computer or device.
 - Monitoring (No) or (Yes) icons display this asset is monitored or not.
 - Patching (No) or (Yes) icons display this asset is managed by Patch Management or not.
 - Auditing (No) or (Yes) icons display this asset is audited on a recurring basis or not.
 - Backing Up (No) or (Yes) icons display that this asset has being backed up or not.
 - Security (No) or (Yes) icons display that this asset has or has not antivirus protection on it.
 - Ticket Count Displays the number of open tickets for this asset.
 - Alarm Count Displays the number of alarms generated by this asset.
 - Domain / Workgroup The domain or workgroup this asset is member of, if any.
 - SNMP Active If checked, this asset is SNMP-enabled.
 - VPro Active (No) or (Yes) icons display that this asset is VPro Active or not. See the topic vPro tab.
 - Network Click this link to display the list of networks this asset is a member of.
 - Device Name The network name of a computer or device. If no network name is available, the IP address of the device displays.
 - Discovered Name The discovered name of a computer or device during a network scan.

Credentials tab

This tab specifies credentials by individual asset. These can be referenced by a VSA user when accessing a machine or device. Optionally include a note with each credential. Use the **Manage Credentials** (*page v*) page to specify credentials by organization and machine group.

iv Contents

Agent Credentials

If the asset is an agent machine, a credential can be optionally used as the **source credential for an agent credential in a Policy Management policy**

(http://help.kaseya.com/webhelp/EN/KPM/9050000/index.asp#8158.htm). If multiple credentials are defined for a machine, then the most local level defined has precedence: by individual machine, by machine group, or by organization. At any one level, only one managed credential can be designated the source credential for an agent credential.

Actions

- New / Edit Specifies a credential.
 - > Description A one line description for the credential.
 - > Username The username.
 - Password The password.
 - > Domain The domain of the credential, if one exists.
 - > Set as agent credential Only one credential for this asset can be designated the source credential for an agent credential.
 - ✓ Create account Check to create a new user account on the managed machine.
 - ✓ as Adminstrator Check to create the new user account with administrator privileges.
 - ✓ Local user account Select this option to use a credential that logs into this machine locally, without reference to a domain.
 - ✓ Use machine's current domain Create a credential using the domain name this machine is a member of, as determined by the latest audit.
 - ✓ **Specified domain** Use the domain specified above.
 - ➤ Notes Optionally include a note with the credential. Use the edit toolbar to add images and special formatting to the text. *Images must be uploaded rather than copied and pasted in.*



- ✓ □ Hyperlink selected text. You may need to reset links copied and pasted from another source.
- ✓ Insert a table.
- ✓ - Insert a horizontal line as a percentage of the width, or set a fixed width in pixels.
- ✓

 ☐ Indent text.
- ✓ = Outdent text.
- ✓ ∠ Remove formatting.
- ✓ Ω Insert a symbol.
- ✓ [©] Insert an emoticon.
- ✓ △ Preview the display of text and images.
- ✓ Upload a file or image.
- ✓ x₁ Set selected text to subscript.
- √ x³ Set selected text to superscript.
- ✓ - Toggle full screen mode for editing and viewing.
- View Displays the properties of a selected credential.
- Delete Deletes a select credential.

Table Columns

■ Type - The type of credential.

- > 1 This is an agent credential.
- ➤ (blank) This is *not* an agent credential.
- Name The VSA name of this credential.
- Username The username of the credential.
- Domain The domain of the credential, if one is required.
- Agent Credential If checked, this is the agent credential.
- Create Account Created the account if it does not already exist.
- as Administrator Created the account is an administrator-level account.

vPro tab

Audit > View Assets > vPro tab

The Audit > View Assets > vPro tab displays hardware information about vPro-enabled machines discovered by enabling a vPro scan using the Edit Network dialog, then scanning the network. This information is only available if a machine's vPro credential is specified when scanning a network.

Types of hardware information returned by the vPro machine include:

- Agent check-in status, if the vPro machine has an agent installed
- Computer Information
- Motherboard Asset Information
- BIOS Information
- Processor Information
- RAM Information
- Hard Drive Information

Note: The vPro module provides vPro management features

(http://help.kaseva.com/webhelp/EN/VPRO/9050000/index.asp#10070.htm).

Manage Credentials

Audit > Asset > Manage Credentials

The **Manage Credentials** page specifies credentials by organization and machine group. These can be referenced by a VSA user when accessing a machine or device. Optionally include a note with each credential. Use the **View Assets** (*page ii*) page to specify credentials by individual machine or device.

Agent Credentials

If the asset is an agent machine, a credential can be optionally used as the **source credential for an agent credential in a Policy Management policy**

(http://help.kaseya.com/webhelp/EN/KPM/9050000/index.asp#8158.htm). If multiple credentials are defined for a machine, then the most local level defined has precedence: by individual machine, by machine group, or by organization. At any one level, only one managed credential can be designated the source credential for an agent credential. A managed credential is created when a user runs the **Systems Management Configuration Setup Wizard**

(http://help.kaseya.com/webhelp/EN/VPRO/9050000/index.asp#10070.htm) for an organization.

Middle Panel Columns

Rows are sorted by organization, then machine group, then machine ID.

(Level) - Identifies the row as an organization , a machine group or a machine ID .

vi Contents

- Name The name of the organization, machine group or machine ID.
- Credentials Displays a key if at least one credential is specified for that row.

Right Panel Actions

Select an organization or machine group before performing these actions.

- New / Edit Specifies a credential.
 - > Description A one line description for the credential.
 - > Username The username.
 - > Password The password.
 - > Domain The domain of the credential, if one exists.
 - > Set as agent credential Only one credential for this organization or machine group can be designated the source credential for an agent credential.
 - ✓ Create account Check to create a new user account on the managed machine.
 - √ as Adminstrator Check to create the new user account with administrator privileges.
 - ✓ **Local user account** Select this option to use a credential that logs into this machine locally, without reference to a domain.
 - ✓ Use machine's current domain Create a credential using the domain name this machine is a member of, as determined by the latest audit.
 - ✓ Specified domain Use the domain specified above.
 - ➤ Notes Optionally include a note with the credential. Use the edit toolbar to add images and special formatting to the text. *Images must be uploaded rather than copied and pasted in.*



- ✓ □ Hyperlink selected text. You may need to reset links copied and pasted from another source.
- Insert a table.
- ✓ _ Insert a horizontal line as a percentage of the width, or set a fixed width in pixels.
- ✓

 ☐ Indent text.
- ✓ ⊕ Outdent text.
- ✓ ∠ Remove formatting.
- ✓
 Ω Insert a symbol.
- ✓ [©] Insert an emoticon.
- ✓ △ Preview the display of text and images.
- Upload a file or image.
- ✓ x₂ Set selected text to subscript.
- ✓ x³ Set selected text to superscript.
- ✓ - Toggle full screen mode for editing and viewing.
- Delete Deletes a select credential.

Table Columns

- Username Username of the credential.
- Password Password of the credential.
- Domain Domain of the credential, if applicable.
- Inherited From The level the credential is inherited from. Credentials can be inherited from a higher level organization or machine group.
- Agent If checked, this is the agent credential.
- Description The VSA name for the credential.

Credential Log

Audit > Asset > Credential Log

The **Credential Logs** page provides an audit log of the VSA users who create, modify and delete credentials on the **View Assets** (page ii) and **Manage Credentials** (page v) pages.

- Event Name The name of executed event.
- Message The procedure message.
- Admin The user name of admin who executed an procedure.
- Event Date The date when the procedure was executed.

Collect Data

Run Audit

Audit > Collect Data > Run Audit

The Run Audit page performs audits of the hardware and software configuration of manage machines.

Audits

Agents can be scheduled to automatically audit the hardware and software configurations of their managed machines on a recurring basis. Agents report the information back to the Kaseya Server so you can access it using the VSA even when managed machines are powered down. Audits enable you to examine configurations before they develop into serious problems. The system maintains three types of audits for each machine ID:

- Baseline audit The configuration of the system in its original state. Typically a baseline audit is performed when a system is first set up.
- Latest audit The configuration of the system as of the last audit. Once per week is recommended.
- System Info All DMI / SMBIOS data of the system as of the last system info audit. This data seldom changes and typically only needs to be run once.

The VSA detects changes in a machines's configuration by comparing the latest audit to the baseline audit. The latest audit record is stored for as many days as you specify.

Most of the agent and managed machine data displayed by function pages and Info Center > Reporting > Reports are based on the latest audit. The Machine Changes report compares a machine ID's latest audit to a baseline audit. Two alert types specifically address changes between a baseline audit and the latest audit: Application Changes and Hardware Changes.

Actions

- Schedule Audit Click Schedule Audit or Reschedule Audit to display the Scheduler window, which is used throughout the VSA to schedule a task. Schedule a task once or periodically. Each type of recurrence—Once, Hourly, Daily, Weekly, Monthly, Yearly—displays additional options appropriate for that type of recurrence. Periodic scheduling includes setting start and end dates for the recurrence. Not all options are available for each task scheduled. Options can include:
 - Baseline Audit, Latest Audit or System Information Type of audit.
 - > Schedule will be based on the timezone of the agent (rather than server) If checked, time settings set in the Scheduler dialog reference the local time on the agent machine to determine when to run this task. If blank, time settings reference server time, based on the server time option selected in System > Preferences. Defaults from the System > Default Settings page.

viii Contents

➤ Distribution Window - Reschedules the task to a randomly selected time no later than the number of periods specified, to spread network traffic and server loading. For example, if the scheduled time for a task is 3:00 AM, and the distribution window is 1 hour, then the task schedule will be changed to run at a random time between 3:00 AM and 4:00 AM.

- ➤ Skip if offline If checked and the machine is offline, skip and run the next scheduled period and time. If blank and the machine is offline, run the task as soon as the machine is online again. Applies only to recurring schedules, a 'Once' schedule always executes the next time the agent is online.
- ➤ Power up if offline Windows only. If checked, powers up the machine if offline. Requires Wake-On-network or vPro and another managed system on the same network.
- Exclude the following time range Applies only to the distribution window. If checked, specifies a time range to exclude the scheduling of a task within the distribution window. Specifying a time range outside of the distribution window is ignored by the scheduler.
- Reschedule Audit Populates the scheduler with the values of a pending schedule so you can make adjustments.
- Run Audit Now Schedules an audit to run immediately.
- Cancel Audit Cancels a scheduled audit.

Remind me when accounts need audit scheduled

If checked, displays a pop up warning message if audits have not been scheduled for one or more machine IDs. The warning displays each time you select **Run Audit**. Applies to each VSA user individually.

Check-in status

These icons indicate the agent check-in status of each managed machine. Hovering the cursor over a check-in icon displays the agent Quick View window.

- Agent is currently offline
- User Logged In and Agent is Active
- User Logged In and Agent is Inactive
- User Not Logged In and Agent is online
- User Not Logged In and Agent is Idle
- The agent has been suspended
 - Agent has never checked in

Select All/Unselect All

Click the **Select All** link to check all rows on the page. Click the **Unselect All** link to uncheck all rows on the page.

Machine.Group ID

The top line shows the machine ID. The bottom line displays the last time a System Info audit was performed. Overdue date/time stamps display as red text with yellow highlight. Pending and completed date/time stamps display as black text.

System Information / Latest Audit / Baseline Audit

Each column displays the last time that type of audit was performed. Overdue date/time stamps display as red text with yellow highlight. Pending and completed date/time stamps display as black text.

Next Audit

Displays the time of the next scheduled Latest Audit. Overdue date/time stamps display as red text with yellow highlight. Pending and completed date/time stamps display as black text.

Recurring Interval

Displays the recurring interval for latest audits.

View Group Data

Audit Summary

Audit > View Group Data > Audit Summary

The Audit > Audit Summary page provides a view of the data returned by audits of machines using the Run Audit (page vii) page. The columns of audit data shown on this page are individually selectable and filterable. User-defined sets of columns can also be selected. Columns sets are defined using the Configure Column Sets (page x) page. Additional data not shown in the Audit Summary page is provided using the Machine Summary (page xi) page. This table supports selectable columns, column sorting, column filtering and flexible columns widths.

Columns of audit data, in the default order they display in this page, include:

- Machine ID The name identifying the machine within the VSA. Typically based on the computer name.
- Current User Logon name of the machine user currently logged into the machine (if any).
- Last Reboot Time Time of the last known reboot of the machine.
- Last Checkin Time Most recent time when a machine checked into the Kaseya Server.
- Group ID The group ID portion of the machine ID.
- First Checkin Time Time when a machine first checked into the Kaseya Server.
- Time Zone The time zone used by the machine.
- Computer Name The name assigned the machine by users of the machine.
- Domain/Workgroup The workgroup or domain the computer belongs to.
- DNS Computer Name The fully qualified DNS computer name identifying the machine on the network. The DNS computer name typically comprises the computer name plus the domain name. For example: jsmithxp.acme.com. Displays only the computer name if the machine is a member of a workgroup.
- Operating System Operation system type the machine is running.
- OS Version Operation system version string.
- CPU Type Processor make and model.
- CPU Speed Clock speed of the processor.
- CPU Count The number of CPUs.
- RAM (MB) Megabytes of RAM on the machine.
- Agent Version Version number of the Kaseya agent loaded on the machine.
- Last Logged In User Logon name of the last person to log into the machine.
- Primary/Secondary KServer IP address / name the machine uses to communicate with the Kaseya Server.
- Quick Checkin Period Quick check in time setting in seconds.
- Contact Name Machine user name entered in Edit Profile.
- Contact Email Email address entered in Edit Profile.
- Contact Phone Phone number entered in Edit Profile.
- Manufacturer System manufacturer.
- Product Name System product name.
- System Version Product version number.

x Contents

- System Serial Number System serial number.
- Chassis Serial Number Serial number on the enclosure.
- Chassis Asset Tag Asset tag number on the enclosure.
- External Bus Speed Motherboard bus speed.
- Max Memory Size Max memory size the motherboard can hold.
- Max Memory Slots Total number of memory module slots available.
- Chassis Manufacturer Manufacturer of the enclosure.
- Chassis Type Enclosure type.
- Chassis Version Enclosure version number.
- Motherboard Manufacturer Motherboard manufacturer.
- Motherboard Product Motherboard product ID.
- Motherboard Version Motherboard version number.
- Motherboard Serial Num Motherboard serial number.
- Processor Family Processor type installed.
- Processor Manufacturer Processor manufacturer.
- Processor Version Processor version ID.
- CPU Max Speed Max processor speed supported.
- CPU Current Speed Speed processor is currently running at.
- IPv4 Address IP address assigned to the machine, in version 4 format.
- IPv6 Address IP address assigned to the machine, in version 6 format.
- Subnet Mask Networking subnet assigned to the machine.
- Default Gateway Default gateway assigned to the machine.
- Connection Gateway IP address seen by the Kaseya Server when this machine checks in. If the
 machine is behind a DHCP server, this is the public IP address of the subnet.
- Country The country associated with the Connection Gateway.
- MAC Address MAC address of the LAN card used to communicate with the Kaseya Server.
- DNS Server IP address of the DNS server assigned to the machine.
- DHCP Server The IP address of the DHCP server used by this machine.
- Primary/Secondary WINS WINS settings.
- Free Space The free data storage space in gigabytes.
- Used Space The used data storage space in gigabytes.
- Total Size The total data storage space in gigabytes.
- Number of Drives The number of drives on the machine.
- Portal Access Logon Logon name given to a machine user for logging into the Kaseya Server.
- Portal Access Remote Control Enabled if this machine user can log in and get remote control
 access to their own machine from another machine. Disabled if access is denied.
- Portal Access Ticketing Enabled if this machine user can log in and enter trouble tickets. Disabled
 if access is denied.
- Portal Access Chat Enabled if this machine user can initiate chat sessions with a VSA user.
 Disabled if access is denied.

Configure Column Sets

Audit > View Group Data > Configure Column Sets

The Configure Columns Sets page defines columns sets that can be used to select a set of columns in the Audit > Audit Summary (page ix) table. The column set filter is on the right side of the Audit Summary table.

Actions

- New Create a new column set.
 - > Name The name of the column.
 - Columns Select an available column set to set columns in the Audit > Audit Summary table.
- Edit Edit a selected column set.
- Delete Delete a selected column set.

Select a Column Set

Select an existing column set in the middle panel of this page. When more rows of data are selected than can be displayed on a single page, click the and buttons to display the previous and next page. The drop-down list alphabetically lists the first record of each page of data using the sort order of the selected column on that page.

View Individual Data

Machine Summary

Audit > View Individual Data > Machine Summary

• Similar information is provided using Info Center > Reporting > Machine Summary.

Machine Summary

The **Machine Summary** page allows users to perform tasks and functions solely for one managed machine. A series of tabbed property sheets provided access to various categories of information about the managed machine.

Actions

You may wish to edit both custom field values and the data collected for a machine during a system audit. Edits to system audit data will be overwritten by subsequent system audits, unless you remove these system audit fields from automatic collection. Edited system audit fields and custom fields can both be selected using the Filter Aggregate Table page and the Aggregate Table report. You can also automate changes to the values of data items by running the updateSystemInfo() command in an agent procedure.

- Edit Machine Data Edits the data collected for a machine by a system audit. You can also edit the
 values for custom fields.
- Edit Automatic Collection Uncheck items to prevent data from being overwritten by subsequent system audits. Used in conjunction with the Edit Machine Data dialog.
- Bulk Edit Custom Changes the values of custom fields for multiple machines.
 - 1. Select multiple machine rows.
 - 2. Click the Bulk Edit Custom button.
 - 3. Select a custom field from the Custom field to modify drop-down list.
 - 4. Choose a replacement value by:
 - ✓ Selecting an existing replacement value from the drop-down list, or...
 - ✓ Entering the replacement value manually.

You can maintain an unlimited number of custom fields of information about managed machines. Custom fields can be maintained on both the **Summary** tab and the Hardware > **Summary** tab of this page. Custom fields can also be maintained on the Audit > **System Information** (page xvii) page.

xii Contents

Custom fields are supported in views, procedures, and reports. Custom reports do not support more than 40 custom fields.

- New Custom Field Creates a new custom field.
- Rename Custom Field Renames a custom field.
- Delete Custom Field Deletes a custom field.

Select a Machine

Select a machine in the middle panel to display data for that machine. When more rows of data are selected than can be displayed on a single page, click the source and next page. The drop-down list alphabetically lists the first record of each page of data using the sort order of the selected column on that page.

Summary tab

- Collections Displays the collections a machine is a member of. Defined using the Only show selected machine IDs option in View Definitions.
- Name/OS Information Displays the name, operating system and OS version.
- System Information Displays the manufacturer of system, the product name, version and serial number.
- Network Information Displays network configuration settings.
- CPU/RAM Information Displays CPU and RAM specifications.
- Custom Fields Displays custom fields and values assigned by the user to this machine.

Note: If a domain member computer is audited while the computer is not able to reach the domain controller, any domain users / groups may not be reported.

Software tab

Audit > View Individual Data > Machine Summary > Software tab

System Information tab

Lists system hardware attributes and related information.

Software Licenses tab

Lists all software licenses found for a selected machine ID. Duplicate license keys found on more than one machine display in red text. Clicking the number link next to the title of a duplicate license lists the machine IDs using the duplicate license.

The following information is displayed:

- View License Detail Displays the license information for selected machine.
- Publisher The software publisher of the application (e.g. Microsoft).
- Title The name of the application.
- Product Key The product key used to activate the application during installation.
- License The license code associated with the application.
- Version The version of the application.
- Date The version release date.

Installed Applications tab

Lists all the applications installed on the managed machine.

The following information is displayed:

- Application The filename of the application.
- Description A brief description of the application as reported in the Properties dialog box of the executable file.
- Version The version number of the application.
- Manufacturer The manufacturer of the application.
- Product Name The product name of the application.
- Directory Path The absolute directory path where the application file is located.
- File Size The size, in kilobytes, of the application file.
- Last Modified The modification date of the application file.

Note: You can filter the display of machine IDs on any agent page using the Contains/Missing application and Version string is $\times = N$ options in View Definitions tab.

Add/Remove tab

Displays programs listed in Add/Remove window of Windows machines.

The following information is displayed:

- Application Name The name of the application.
- Uninstall String The uninstall string in the registry used to uninstall this application.

Startup Apps tab

Displays programs that start automatically when a user logs on.

The following information is displayed:

- Application Name The name of the application.
- Application Command The specified path of application command to perform a service.
- User Name The name of the user.

Security Products tab

Identifies the install status of antivirus products registered with a Windows machine's Windows Security Center. Windows 7 and later calls the Windows Security Center the Action Center.

Note: Security Products audit utilizes Windows Security Center

(https://docs.microsoft.com/en-us/windows/win32/devnotes/windows-security-center) on Windows workstation operating systems. This tab will not be populated for Windows server or non-Windows operating systems.

The following information is displayed:

- Product type The type of the product.
- Product Name The name of the product.
- Manufacturer Displays the name of product manufacturer.
- Version Displays the product version number.
- Active Displays the current status of the product installed on selected machine.
- Up To Date Displays the latest updated status of the product installed on selected machine.

xiv Contents

Hardware tab

Audit > View Individual Data > Machine Summary > Hardware tab

Summary tab

- System Information Lists system hardware attributes and related information.
- Network Information Displays network configuration settings.
- Chassis The chassis manufacturer, type, version, serial number and asset tag.
- Motherboard The motherboard manufacturer, product, version, serial number and external bus speed.
- BIOS Information The vendor, version and release date.
- CPU/RAM Information Displays CPU and RAM specifications.
- Custom Fields Displays custom fields and values assigned by the user to this machine.

Printers tab

Lists the printers and ports a machine can direct print jobs to.

The following information is displayed:

- Printer Name The name of the printer on selected machine.
- Port The port number.
- Model The name of the printer model.

PCI & Disk Hardware tab

Displays type, vendor, and product names.

The following information is displayed:

- Edit Note Allows add/edit note to the product class.
- Product Class The name of a group of products.
- Vendor The vendor name.
- **Product** The system product name.
- Notes Displays notes added to the product class.

Disk Volumes tab

Displays disk volume information.

- Drive The name of the drive.
- Type The type of the drive.
- Format The format of the drive file system.
- Free Space The free data storage space in gigabytes.
- Used Space The used data storage space in gigabytes.
- Total Size The total data storage space in gigabytes.
- Label The unique name assigned to a drive.

Disk Partitions tab

Displays the partitions on each disk volume.

The following information is displayed:

- Partition Name The name of partition of disk volume.
- Disk
- Type The type of the disk file system.
- Size The size of the partition.
- Frag Displays the disk fragmentation.
- Primary Displays if disk is primary.
- Bootable Displays if disk is bootable.
- Active Boot Displays if active boot is set up.

Disk Shares tab

Displays shared folders.

The following information is displayed:

- Share Name The shared name of the folder.
- Type The type of the shared folder.
- Path Directory in which the folder is placed.
- Description Description of the folder.

Agent tab

Audit > View Individual Data > Machine Summary > Agent tab

Settings tab

Displays information about the agent on the managed machine:

- Agent version Version number of the Kaseya agent loaded on the machine.
- Current User Logon name of the machine user currently logged into the machine (if any).
- Last check-in Most recent time when a machine checked into the Kaseya Server.
- Last reboot Time of the last known reboot of the machine.
- First time check-in Time when a machine first checked into the Kaseya Server.
- Patch Policy Membership Defined using Patch Management > Membership: Patch Policy
- View Definition Collections Defined using the Only show selected machine IDs option in View Definitions.
- Temp Directory Can also be defined using Agent > Manage Agents.
- Working Directory Can also be defined using Agent > Manage Agents.
- Check-In Control Can also be defined using Agent > Check-In Control.
 - Primary KServer -IP address / name the machine uses to communicate with the Kaseya Server.
 - Secondary KServer IP address / name the machine uses to communicate with the Kaseya Server.
 - Quick checkin Quick check in time setting in seconds.
 - > Port The port number of either the Kaseya Server or a virtual system server.
 - Bandwidth Throttle Limit the agent to consuming a maximum amount of bandwidth on the system with this control.

xvi Contents

• Edit Profile - Can also be defined using Agent > Edit Profile.

Logs tab

Displays the logs available for a machine: Alarm Log, Monitor Action Log, Agent Log, Configuration Changes, Network Statistics, Event Log, Agent Procedure Log, Remote Control Log, Log Monitoring.

Pending Procedures tab

Displays pending procedures for a machine and the procedure history for that machine. Includes the execution date/time, status and user who scheduled the procedure.

The following information is displayed:

- Procedure Name The name of the procedure.
- Scheduled Execution The time and the date that the procedure is scheduled.
- Last Execution The time and the date that the procedure was executed
- Recurring Interval Displays the recurring interval for procedure executing.
- Status The status of the executed procedure.
- Admin Admin name that last scheduled this procedure.

Patch Status tab

Audit > View Individual Data > Machine Summary > Patch Status tab

Patch Status tab displays Missing and Pending Microsoft patches and schedules missing patches. If a machine belongs to a Patch policy, missing patches may be further identified as Denied (Pending Approval). The user can manually override the denied patch policy by scheduling the patch.

- Click the Schedule button to schedule a selected missing patch.
- Click the Cancel button to cancel a selected pending patch.
- Click the Show History link to display the history of patches installed on the managed machine.
- Hide patches denied by Check/Uncheck to show the patches that are denied by Patch Approval.

Remote Control tab

Audit > View Individual Data > Machine Summary > Remote Control tab

This tab displays the status of remote control sessions for the managed machine: Remote Control, FTP, and Chat. The VSA user can set the remote control package to use during a remote control session.

- Select the remote control package from the Select remote control package to use dropdown.
- Click the Preinstall RC Package button to install the selected remote control package.
- Click the Unistall RC Package button to unistall the selected remote control package.
- Click the Cancel button to clear pending install the selected remote control procedure.

Documents tab

Audit > View Individual Data > Machine Summary > Documents tab

Lists documents uploaded to the Kaseya Server for a managed machine. You can upload additional documents. Provides the same functionality as Audit > **Documents** (page xxi). The following information is displayed:

- Filename the name of the uploaded file.
- Size Size in bytes of the uploaded file.
- Last Upload The date and time of the last uploaded file.

Users tab

Audit > View Individual Data > Machine Summary > Users tab

Accounts Tab

Lists all user accounts for the managed machine.

The following information is displayed:

- Logon Name The name of the machine user currently logged into the machine.
- Full Name The full name of the machine user within the organization.
- Description Displays the description of the user account.
- Enabled Displays if users account is enabled.
- Locked Displays if users account is locked.
- PW Required Displays if users account requires a password.
- Expired Displays if users account is expired.
- Changeable Displays if users account is changeable.

Groups tab

Lists all user groups for the managed machine.

The following information is displayed:

- Group Name The name of the user group.
- Description Displays the description of the user group.

Members tab

Identifies the users belonging to each user group for the managed machine.

The following information is displayed:

- Group Name The name of the member group.
- Member

System Information

Audit > View Individual Data > System Information

• Similar information is provided using Info Center > Reporting > Reports > Inventory.

The **System Info** page displays all DMI / SMBIOS data collected by the system info audit for a selected machine ID.

Actions

You may wish to edit both custom field values and the data collected for a machine during a system audit. Edits to system audit data will be overwritten by subsequent system audits, unless you remove these system audit fields from automatic collection. Edited system audit fields and custom fields can both be selected using the Filter Aggregate Table page and the Aggregate Table report. You can also automate changes to the values of data items by running the updateSystemInfo() command in an agent procedure.

xviii Contents

Edit Machine Data - Edits the data collected for a machine by a system audit. You can also edit the
values for custom fields.

- Edit Automatic Collection Uncheck items to prevent data from being overwritten by subsequent system audits. Used in conjunction with the Edit Machine Data dialog.
- Bulk Edit Custom Changes the values of custom fields for multiple machines.
 - 1. Select multiple machine rows.
 - 2. Click the Bulk Edit Custom button.
 - 3. Select a custom field from the Custom field to modify drop-down list.
 - 4. Choose a replacement value by:
 - Selecting an existing replacement value from the drop-down list, or...
 - ✓ Entering the replacement value manually.

You can maintain an unlimited number of custom fields of information about managed machines. Custom fields can also be maintained on the Audit > **Machine Summary** (page xi) page. Custom fields are supported in views, procedures, and reports. Custom reports do not support more than 40 custom fields.

- New Custom Field Creates a new custom field.
- Rename Custom Field Renames a custom field.
- Delete Custom Field Deletes a custom field.

Select a Machine

Select a machine in the middle panel to display data for that machine. When more rows of data are selected than can be displayed on a single page, click the solution and next page. The drop-down list alphabetically lists the first record of each page of data using the sort order of the selected column on that page.

Displayed Data

- System Information
 - Manufacturer system manufacturer
 - > Product Name system product name
 - System Version system version number
 - System Serial Number system serial number
- Network Information
 - > IPv4 Address IP version 4 address assigned to the machine.
 - > IPv6 Address IP version 6 address assigned to the machine.
 - > Subnet Mask Networking subnet assigned to the machine.
 - > Default Gateway Default gateway assigned to the machine.
 - Connection Gateway IP address seen by the Kaseya Server when this machine checks in. If the machine is behind a DHCP server, this is the public IP address of the subnet.
 - Country The country associated with the Connection Gateway.
 - MAC Address MAC address of the LAN card used to communicate with the Kaseya Server.
 - > DHCP Server The IP address of the DHCP server used by this machine.
 - > DNS Server IP address of the DNS servers assigned to the machine.
- Chassis
 - > Chassis Manufacturer manufacturer of the enclosure
 - > Chassis Type enclosure type
 - Chassis Version enclosure version number
 - > Chassis Serial Number serial number on the enclosure
 - Chassis Asset Tag asset tag number on the enclosure

- Motherboard
 - > Motherboard Manufacturer motherboard manufacturer
 - Motherboard Product motherboard product ID
 - > Motherboard Version motherboard version number
 - Motherboard Serial Num motherboard serial number
 - > External Bus Speed motherboard bus speed
- BIOS Information
 - > Vendor vendor name
 - Version version of BIOS
 - Release Date date of BIOS release
- CPU/RAM Information
 - > Processor Manufacturer processor manufacturer
 - > Processor Family processor type installed
 - > Processor Version processor version ID
 - > CPU Max Speed max processor speed supported
 - > CPU Current Speed speed processor is currently running at
 - > CPU Processor make and model.
 - Quantity The number of CPUs.
 - > Speed Clock speed of the processor.
 - > RAM MBytes of RAM on the machine.
 - > Max Memory Size maximum memory size the motherboard can hold
 - > Max Memory Slots Total number of memory module slots available.
- On Board Devices Lists motherboard based devices (like video or ethernet).
 - > Device Type Type of the device
 - Description Description of the device
- Port Connectors Lists all the connections available on the chassis.
 - Internal Reference Type of internal reference
 - > External Reference Type of external reference
 - Connection Type Connection type
 - > Port Type Port type
- Memory Devices Lists memory modules installed on the motherboard.
 - Size Size of memory device (MB)
 - > Form Form of memory device
 - Device Location Location of memory device
 - > Bank Location Bank location of memory device
 - > Type Type of memory device
 - > Detail Detail of memory device
 - Speed Speed of memory device (MHz)
- System Slots Displays the status of each available card slot.
 - Designator System slot designator
 - > Type Type of system slot
 - Usage Usage of system slot
 - > ID System slot ID

xx Contents

Installed Applications

Audit > View Individual Data > Installed Applications

• Similar information is provided using Info Center > Reporting > Reports > Software - Software Applications Installed.

The Installed Applications page lists all applications found during the latest audit for a selected machine ID. The list of machine IDs you can select depends on the machine ID / group ID filter and the scope you are using. This table supports selectable columns, column sorting, column filtering and flexible columns widths.

Select a Machine

Select a machine in the middle panel to display data for that machine. When more rows of data are selected than can be displayed on a single page, click the source and next page. The drop-down list alphabetically lists the first record of each page of data using the sort order of the selected column on that page.

The following information is displayed:

- Application The filename of the application.
- Description A brief description of the application as reported in the Properties dialog box of the executable file.
- Version The version number of the application.
- Manufacturer The manufacturer of the application.
- Product Name The product name of the application.
- Directory Path The absolute directory path where the application file is located.
- File Size The size, in kilobytes, of the application file.
- Last Modified The modification date of the application file.

Note: You can filter the display of machine IDs on any agent page using the Contains/Missing application and Version string is > < = N options in View Definitions.

Select Page

When more rows of data are selected than can be displayed on a single page, click the substant of display the previous and next page. The drop-down list alphabetically lists the first record of each page of data using the *sort order of the selected column on that page*.

Add/Remove

Audit > View Individual Data > Add/Remove

- Similar information is provided using Info Center > Reporting > Reports > Software.
- Alerts can be defined using Monitor > Alerts > Application Changes.

The Add/Remove page displays the programs listed in the Add or Remove Programs window of the managed machine. Information shown on this page is collected when a Latest Audit ($page\ vii$) is performed. Click a machine ID to display data for that selected machine. The list of machine IDs you can select depends on the machine ID / group ID filter and the scope you are using.

Select a Machine

Select a machine in the middle panel to display data for that machine. When more rows of data are selected than can be displayed on a single page, click the and buttons to display the previous and next page. The drop-down list alphabetically lists the first record of each page of data using the sort order of the selected column on that page.

The following information is displayed:

- Application Name The name of the application.
- Uninstall String The uninstall string in the registry used to uninstall this application.

Software Licenses

Audit > View Individual Data > Software Licenses

• Similar information is provided using Info Center > Reporting > Reports > Software.

The **Software Licenses** page displays all software licenses found for a selected machine ID. The list of machine IDs displayed depends on the Machine ID / Group ID filter and machine groups the user is authorized to see using System > User Security > Scopes.

Information shown on this page is collected when a **Latest Audit** (page vii) is performed. Each vendor stores an application's license key differently so all application software licenses may not be collected.

Duplicate License Keys

Duplicate license keys found on more than one machine display in red text. Clicking the number link next to the title of a duplicate license lists the machine IDs using the duplicate license.

Select a Machine

Select a machine in the middle panel to display data for that machine. When more rows of data are selected than can be displayed on a single page, click the and buttons to display the previous and next page. The drop-down list alphabetically lists the first record of each page of data using the sort order of the selected column on that page.

The following information is displayed:

- Publisher The software publisher of the application (e.g. Microsoft).
- Title The name of the application.
- Product Key The product key used to activate the application during installation.
- License The license code associated with the application.
- Version The version of the application.
- Date The version release date.

Documents

Audit > View Individual Data > Documents

 This function can also be accessed using the Documents tab of the Live Connect (Classic) > Agent Data page and the Documents tab of the Machine Summary (page xi) page.

The **Documents** page stores files associated with a machine ID. For example, you can upload scanned copies of purchase receipts, contract information, and configuration notes specific to a machine ID. Uploaded documents are stored in the User Profiles directory of the Kaseya Server. For example: C:\Kaseya\UserProfiles\368905064566500\Docs.

Note: Documents are not included in the backup of the Kaseya Server database using System > Configure. A separate backup of Kaseya Server files and directories should be performed as well.

Note: See Administrator Notes for a fast way of logging plain text notes for multiple machines without having to upload documents.

xxii Contents

To Store a Document

1. Click a machine.group ID link. The list of machine IDs you can select depends on the machine ID / group ID filter and the scope you are using. Documents previously stored on the Kaseya Server for this machine ID display or else No files found displays.

- 2. Click Browse to locate a file on your local computer or LAN.
- Click Upload to upload the file to the Kaseya Server.
 The added Filename displays, along with its file Size and the date/time of the Last Upload.

New Folder

Optionally click the **New Folder** icon and link to create a new folder to store documents in for the selected managed machine.

Edit

You can click a **Filename** link or edit icon to display a file or run the file, depending on the application the filename extension is associated with on your local machine.

Delete

| Click the delete icon 🗡 to delete a stored document or folder from the Kaseya Server. | |
|---|-----|
| Audit Overview | |
| Asset | i |
| View Assets | i |
| vPro tab | …۱ |
| Manage Credentials | …۱ |
| Credential Log | .vi |
| Collect Data | .vi |
| Run Audit | .vi |
| View Group Data | i> |
| Audit Summary | i> |
| Configure Column Sets |) |
| View Individual Data | x |
| Machine Summary | x |
| Software tab | .xi |
| Hardware tab | χiν |
| Agent tab | .x١ |
| Patch Status tab | χv |
| Remote Control tab | χv |
| Documents tab | χv |
| Users tab | κvi |
| System Information | κvi |
| Installed Applications | .x) |
| Add/Remove | .x) |
| Software Licenses | ХX |
| Documents | ХX |
| Index | 25 |

Index

Α

Add/Remove • xx Agent tab • xv Agent Time • vii Asset • ii Audit Overview • i Audit Summary • ix

C

Cancel Script • xi Collect Data • vii Configure Column Sets • x Credential Log • vii

D

Documents • xxi
Documents tab • xvi

Н

Hardware tab • xiv

ı

Installed Applications • xx

M

Machine Summary • xi Manage Credentials • v

Ρ

Patch Status tab • xvi

R

Remote Control tab • xvi Run Audit • vii

S

Script, Cancel • xi Software Licenses • xxi Software tab • xii System Information • xvii

П

Users tab • xvii

V

View Assets • ii View Group Data • ix View Individual Data • xi vPro tab • v